



Cyclomix™ Expert Airless 2K-3K Electronic Mixing & Dosing System

Product highlights

- Capable of metering 1 component as well as mixing 2 and ³ component materials
- Flexible modular design - up to 24 programmable components
- PH version available for acid-catalyzed coatings
- Handles up to 50 recipes
- Constant flow technology



BOND • PROTECT • BEAUTIFY

Cyclomix™ Expert Airless 2K-3K Electronic

The Cyclomix™ Expert is an innovative, industrial solution that is configured to meet the needs of the customer.

Adapted industrial markets



Technical data table

Designation	Value	Unit
Pressure ratio	X/1	
Number of Products (base-catalyst-solvent)	base-catalyst-solvent	

Marking

Product	Type



Technologies



Description

Cyclomix™ Expert, industrial and evolutive solution, innovative, guarantee total quality of production

Performances

- Production flush 5-step programmable sequence
- Weekend flush 6-step programmable sequence
- Continuous ratio and pot life monitoring
- Multiple flow meter options available to meet your requirements

Productivity

- Consistent finish quality
- Reduced labor - on demand mixing
- In-line static mixer reduces flushing solvent and faster color changes
- Reduced fluid waste
- Less rework
- Reduced hazardous waste

Sustainability

- All stainless-steel construction compatible with most materials
- PH (acid catalyst) version available
- Filter / regulators assemblies are standard equipment, constructed of stainless steel compatible with most materials



Additional information

[• User manual](#)[• Spare parts](#)[• Accessories](#)[• Documents](#)[• Videos](#)