

# SAFETY DATA SHEET

© Carlisle Fluid Technologies, Inc.  
PRODUCT RELATED HEALTH DATA SHEET

## 1. IDENTIFICATION of the SUBSTANCE/MIXTURE and of the COMPANY

### 1.1 Product identifier

**Product Name** : Grease (Chevron NLGI 1)  
**Product Code** : Part No. 44-285  
**Product Description** : Lubricating Grease.  
**SDS #** : SDS-36 REVISION #: 3.0.2  
**CHEMICAL FORMULA**: Mixture.  
**CAS NUMBER** : Not Applicable.  
**Article Code** : Not Applicable.  
**GENERAL USE** : A Lubricating Grease that is used as a spray gun and paint mixing equipment lube.  
**DATE REVISED**: 12/16/2018 **DATE PREPARED**: 09/23/2015

**1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Not applicable.

### 1.3 Details of the supplier of the safety data sheet

**Carlisle Fluid Technologies, Inc.**

**16430 North Scottsdale Road**

**Scottsdale, AZ 85254**

**Technical service number 1-888-992-4657**

**Technical service Europe Tel: +44 (0)1202 571 111**

**Emergency telephone number**

**Emergency Number - INFOTRAC**  
**EMERGENCY PHONE (24 HOURS):**  
1-800-535-5053

**The National Chemical Emergency Centre (NCEC)**  
**Deutsche hotline - 0800 7238996 (Kostenfrei innerhalb Deutschlands)**  
oder +44 (0)1235 753 148

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture.  
**Classification according to Regulation (EC) No. 1272/2008 [CLP]** : Acute aquatic toxicant: Category 3: H412 .

**Ingredients of unknown toxicity** : None known.

**Ingredients of unknown ecotoxicity**: None known.

### Classification according to OSHA 29 CFR 1910.1299 and Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to OSHA 29.CFR 1910.1200, Directive 1999/45/EC and its amendments.

**Classification** : Not classified.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

**Hazard pictograms** : No pictogram.  
**Signal word** : None.  
**Hazard statements** : Harmful to aquatic life.

### Precautionary statements

**Prevention** : Avoid release to the environment.  
**Response** : Not applicable.  
**Storage** : None.  
**Disposal** : Dispose of contents/container in accordance with applicable local, regional, national and international regulations.  
H412: Harmful to aquatic life with long lasting effects.  
R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

PRODUCT NAME: Grease (Chevron NLGI 1) SDS#: SDS-36

- Hazardous ingredients** : None known.  
**Supplemental label elements** : Not applicable.  
**Special packaging requirements**  
**Containers to be fitted with child-resistant fastenings** : Not applicable.  
**Tactile warning of danger** : Not applicable.

**2.3 Other hazards**

**Other hazards which do not result in classification**

- Properties affecting health** : Wash areas of contact with soap and water.  
**Principle routes of exposure** : Skin, eye.  
**Skin contact** : There may be mild irritation at the site of contact.  
**Eye contact** : There may be irritation and redness.  
**Inhalation** : There may be irritation of the throat.  
**Ingestion** : No symptoms.

**Chronic Effects:** None.

**Medical Conditions Aggravated by Long-Term Exposure:** None known.

**Target Organs:** skin and eyes

**Signs and Symptoms:** May cause irritation to the skin and eyes. If such a reaction occurs, seek medical attention.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENTS	CAS NUMBER	AMOUNT
Highly refined mineral oil (C15 - C50)	Mixture	70 - 99 %wt/wt

### 4. FIRST AID MEASURES

**4.1 Description of first aid measures**

- EYE CONTACT** : As a precaution, remove contact lenses, if worn, and flush eyes with water for 15 minutes.  
**INHALATION** : No specific first aid measures are required. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Get medical attention if coughing or respiratory discomfort occurs.  
**SKIN CONTACT** : No specific first aid measures are required. As a precaution, remove clothing and shoes if contaminated. To remove the material from skin, apply a waterless hand cleaner, mineral oil, or petroleum jelly. Then wash with soap and water. Discard contaminated clothing and shoes or thoroughly clean before reuse.  
**INGESTION** : No specific first aid measures are required. Do not induce vomiting. As a precaution, get medical advice.

**Protection of first-aiders :** No known significant effects or critical hazards.

**4.2 Most important symptoms and effects, both acute and delayed**

**Potential acute health effects**

- Eye contact** : Not expected to cause prolonged or significant eye irritation.  
**Inhalation** : Not expected to be harmful if inhaled. Contains a petroleum-based mineral oil. May cause respiratory irritation or other pulmonary effects following prolonged or repeated inhalation of oil mist at airborne levels above the recommended mineral oil mist exposure limit. Symptoms of respiratory irritation may include coughing and difficulty breathing.  
**Skin contact** : Contact with the skin is not expected to cause prolonged or significant irritation. Contact with the skin is not expected to cause an allergic skin response. Not expected to be harmful to internal organs if absorbed through the skin. High-Pressure Equipment Information: Accidental high-velocity injection under the skin of materials of this type may result in serious injury. Seek medical attention at once should an accident like this occur. The initial wound at the injection site may not appear to be serious at first; but, if left untreated, could result in disfigurement or amputation of the affected part.  
**Ingestion** : Not expected to be harmful if swallowed.  
**Over-exposure signs/symptoms**  
**Eye contact** : No specific data.  
**Inhalation** : No specific data.  
**Skin contact** : No specific data.  
**Ingestion** : No specific data.

PRODUCT NAME: Grease (Chevron NLGI 1) SDS#: SDS-36

**4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to physician** : In an accident involving high-pressure equipment, this product may be injected under the skin. Such an accident may result in a small, sometimes bloodless, puncture wound. However, because of its driving force, material injected into a fingertip can be deposited into the palm of the hand. Within 24 hours, there is usually a great deal of swelling, discoloration, and intense throbbing pain. Immediate treatment at a surgical emergency center is recommended.

**Specific treatments** : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

## 5. FIRE FIGHTING MEASURES

**5.1 Extinguishing media**

**Suitable extinguishing media** : Use water fog, foam, dry chemical or carbon dioxide (CO<sub>2</sub>) to extinguish flames. Use water spray to cool containers.

**Unsuitable extinguishing media** : Do not use a heavy water stream. Use of heavy stream of water may spread fire.

**5.2 Special hazards arising from the substance or mixture**

**Flammability class** : Combustible when heated.

**Fire retardant method** : None required.

**Flash Point** : 176 °C (349 °F) (Cleveland Open Cup) (Typical).


**Autoignition Temperature** : No data available.

**Sensitivity to Static Discharge** : No information available.

**Hazards from the substance or mixture** : No information available.

**Unusual Fire and Explosion Hazards** : No information available.

**Hazardous combustion products** : Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids, and gases including carbon monoxide, carbon dioxide, and unidentified organic compounds will be evolved when this material undergoes combustion.



**Note** : None.

**5.3 Advice for firefighters**

**Special precautions for fire-fighters** : This material will burn although it is not easily ignited. See Section 7 for proper handling and storage. For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus. In addition, wear other appropriate protective equipment as conditions warrant (see Section 8).

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**HMIS RATING:** See Section 15.

## 6. ACCIDENTAL RELEASE MEASURES

**6.1 Personal precautions, protective equipment and emergency procedures**

**For non-emergency personnel** : Caution - Eliminate all sources of ignition in vicinity of spilled material.

**For emergency responders** : Eliminate all sources of ignition in vicinity of spilled material. Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). See Sections 2 and 7 for additional information on hazards and precautionary measures.

**6.2 Environmental precautions** : Stop the source of the release if you can do it without risk. Clean up spills immediately, observing precautions in Exposure Controls/Personal Protection section. Contain release to prevent further contamination of soil, surface water or groundwater. Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems, and natural waterways. Use water sparingly to minimize environmental contamination and reduce disposal requirements. If spill occurs on water notify appropriate authorities and advise shipping of any hazard. Spills into or upon navigable waters, the contiguous zone, or adjoining shorelines that cause a sheen or discoloration on

PRODUCT NAME: Grease (Chevron NLGI 1) SDS#: SDS-36



the surface of the water, may require notification of the National Response Center (phone number 800-424-8802).

**6.3 Methods and materials for containment and cleaning up**

- Small spill** : Transfer to a closable, labelled salvage container for disposal by an appropriate method.
- Large spill** : Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**6.4 Reference to other sections** : Recommended measures are based on the most likely spillage scenarios for this material; however local conditions and regulations may influence or limit the choice of appropriate actions to be taken. See Section 13 for information on appropriate disposal.

## 7. HANDLING AND STORAGE

**7.1 Precautions for safe handling**

- Protective measures** : Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling.  
Do not enter confined spaces such as tanks or pits without following proper entry procedures such as ASTM D-4276 and 29CFR 1910.146.
- General Handling Information** : Avoid contaminating soil or releasing this material into sewage and drainage systems and bodies of water.
- Advice on general occupational** : Avoid direct contact with the substance. Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.
- Static Hazard** : Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary but may not, by themselves, be sufficient. Review all operations which have the potential of generating and accumulating an electrostatic charge and/or a flammable atmosphere (including tank and container filling, splash filling, tank cleaning, sampling, gauging, switch loading, filtering, mixing, agitation, and vacuum truck operations) and use appropriate mitigating procedures. For more information, refer to OSHA Standard 29 CFR 1910.106, 'Flammable and Combustible Liquids', National Fire Protection Association (NFPA 77, 'Recommended Practice on Static Electricity', and/or the American Petroleum Institute (API) Recommended Practice 2003, 'Protection Against Ignitions Arising Out of Static, Lightning, and Stray Currents'.
- 7.2 Conditions for safe storage, including any incompatibilities** : Store in cool, well ventilated area. Product must only be kept in the original packaging.

**7.3 Specific end use(s)**

**Recommendations**

- Container Warnings** : Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. They may explode and cause injury or death. Empty containers should be completely drained, properly closed, and promptly returned to a drum re-conditioner or disposed of properly.

**Industrial sector specific solutions** : None.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**8.1 Control parameters**

**Occupational Exposure Limits:**

Component	Agency	TWA	STEL	Ceiling	Notation
Highly refined mineral oil (C15 - C50)	ACGIH	5 mg/m3	10 mg/m3	--	--
Highly refined mineral oil (C15 - C50)	OSHA Z-1	5 mg/m3	--	--	--

Consult local authorities for appropriate values.

**8.2 Exposure controls**

**GENERAL CONSIDERATIONS:**

Consider the potential hazards of this material (see Section 3), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the per-



PRODUCT NAME: Grease (Chevron NLGI 1) SDS#: SDS-36

sonal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

**Appropriate engineering** : Use in a well-ventilated area.

**Personal Protection Equipment**

**Eye Protection**

: No special eye protection is normally required. Where splashing is possible, wear safety glasses with side shields as a good safety practice. Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin Protection**

: No special protective clothing is normally required. Where splashing is possible, select protective clothing depending on operations conducted, physical requirements and other substances in the workplace. Suggested materials for protective gloves include: Neoprene, Nitrile Rubber, Silver Shield, Viton.

**Respiratory Protection**

: No respiratory protection is normally required.

If user operations generate an oil mist, determine if airborne concentrations are below the occupational exposure limit for mineral oil mist. If not, wear an approved respirator that provides adequate protection from the measured concentrations of this material. For air-purifying respirators use a particulate cartridge. Use a positive pressure air-supplying respirator in circumstances where air-purifying respirators may not provide adequate protection.

**Other protective clothing**

: Specific situations may require consultation with industrial hygiene, safety, or engineering professionals.

**Hygienic Practices**

: Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Note: Unless otherwise stated, values are determined at 20°C (68°F) and 760 mm Hg (1 atm). Data represent typical values and are not intended to be specifications.

<b>Physical state</b>	: Semi-solid.
<b>Color</b>	: Black.
<b>Odor</b>	: Petroleum odor.
<b>Appearance</b>	: Viscous.
<b>pH</b>	: Not Applicable.
<b>Freezing point</b>	: No data available.
<b>Melting point</b>	: 220°C (428°F) Minimum.
<b>Initial Boiling Point</b>	: 315°C (599°F) Minimum.
<b>Flash point</b>	: 176 °C (349 °F) (Cleveland Open Cup) (Typical).
<b>Flammability (solid, gas)</b>	: No data available.
<b>Burning time</b>	: No data available.
<b>Burning rate</b>	: No data available.
<b>Upper/lower flammability or explosive limits</b>	: No data available.
<b>Vapor pressure</b>	: <0.01 mmHg Maximum @ 37.8 °C (100 °F).
<b>Vapor Density (air=1)</b>	: >1 Minimum.
<b>Relative Density</b>	: 0.98 @ 25°C.
<b>Solubility</b>	: Soluble in hydrocarbons; insoluble in water.
<b>Partition coefficient:</b>	: No data available.
<b>n- octanol/water</b>	
<b>Auto-ignition temperature</b>	: No data available.
<b>Decomposition temperature</b>	: No data available.
<b>Viscosity</b>	: No data available.
<b>Specific Gravity (water=1)</b>	: No data available.
<b>Pour Point</b>	: No data available.
<b>Explosive properties</b>	: No data available.
<b>VOC</b>	: No data available.
<b>Oxidizing properties</b>	: No data available.

PRODUCT NAME: Grease (Chevron NLGI 1) SDS#: SDS-36

Evaporation Rate : No data available.

### 9.2 Other information

No additional information.

## 10. STABILITY AND REACTIVITY

- 10.1 Reactivity** : This material is not expected to react.
- 10.2 Chemical stability** : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
- 10.3 Possibility of hazardous reactions** : Hazardous polymerization will not occur.
- 10.4 Conditions to avoid** : Heat and direct sunlight.
- 10.5 Incompatible materials** : May react with strong acids or strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
- 10.6 Hazardous decomposition Products** : None known (None expected).
- 10.7 Hazardous Polymerization** : Hazardous polymerization will not occur.

## 11. TOXICOLOGICAL INFORMATION

- 11.1 Acutetoxicity**  
**Effects of Acute Exposure** : Not Determined.
- 11.2 Acute toxicity estimates**  
**Conclusion/Summary** : Not Determined.
- 11.3 Irritation/Corrosion**  
**Conclusion/Summary** : There may be mild irritation at the site of contact.
- 11.4 Sensitizer**  
**Conclusion/Summary** : Skin Sensitization: The skin sensitization hazard is based on evaluation of data for similar materials.
- 11.5 Mutagenicity**  
**Conclusion/Summary** : Not Available.
- 11.6 Carcinogenicity**  
**Conclusion/Summary** : This product contains petroleum base oils which may be refined by various processes including severe solvent extraction, severe hydrocracking, or severe hydrotreating. None of the oils requires a cancer warning under the OSHA Hazard Communication Standard (29 CFR 1910.1200). These oils have not been listed in the National Toxicology Program (NTP) Annual Report nor have they been classified by the International Agency for Research on Cancer (IARC) as; carcinogenic to humans (Group 1), probably carcinogenic to humans (Group 2A), or possibly carcinogenic to humans (Group 2B). These oils have not been classified by the American Conference of Governmental Industrial Hygienists (ACGIH) as: confirmed human carcinogen (A1), suspected human carcinogen (A2), or confirmed animal carcinogen with unknown relevance to humans (A3).
- 11.7 Reproductive toxicity**  
**Conclusion/Summary** : Not classified.
- 11.8 Teratogenicity**  
**Conclusion/Summary** : Not classified.
- 11.9 Specific target organ toxicity (single exposure)**  
Not classified.
- 11.10 Specific target organ toxicity (repeated exposure)**  
**Conclusion/Summary** : Not classified.
- 11.11 Aspiration hazard**  
**Conclusion/Summary** : Not classified.
- 11.12 Information on the likely routes of exposure** : Eye, ingestion and skin.
- 11.13 Potential acute health effects**
- Inhalation** : No symptoms.
  - Ingestion** : There may be irritation of the throat.
  - Skin contact** : Skin Corrosion/Irritation: The skin irritation hazard is based on evaluation of data for

PRODUCT NAME: Grease (Chevron NLGI 1) SDS#: SDS-36

**Eye contact** : Similar materials.  
: Serious Eye Damage/Irritation: The eye irritation hazard is based on evaluation of data for similar materials.

**11.4 Symptoms related to the physical, chemical and toxicological characteristics**

**Inhalation** : Not expected to present a significant inhalation hazard under normal use.  
**Ingestion** : If a large quantity has been ingested: May cause nausea, vomiting, and diarrhea.  
**Skin contact** : None under normal conditions.  
**Eye contact** : May cause eye irritation.

**11.15 Delayed and immediate effects and also chronic effects from short and long term exposure**

**Short term exposure**

**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.

**Long term exposure**

**Potential immediate effects** : Not hazardous.  
**Potential delayed effects** : May cause eye irritation.

**11.16 Potential chronic health effects**

**Effects of Chronic Exposure** : Not known.  
**General** : No known significant effects or critical hazards.  
**Carcinogenicity (IARC, ACGIH)** : None- NTP, IARC, or OSHA.  
**Mutagenicity** : Not known.  
**Teratogenicity** : Not known.  
**Developmental effects** : Not known.  
**Fertility effects** : Not known.  
**11.17 Other information** : Not available.

## 12. ECOLOGICAL INFORMATION

**12.1 Toxicity**

**Aquatic**

**Conclusion/Summary** : This material is expected to be harmful to aquatic organisms. The ecotoxicity hazard is based on an evaluation of data for the components or a similar material. The product has not been tested. The statement has been derived from the properties of the individual components..

**12.2 Persistence**

**Conclusion/Summary** : No data available.

**12.3 Bioaccumulation/Accumulation**

**Conclusion/Summary** : No bioaccumulation potential.

**12.4 Mobility/Persistence in soil**

**Conclusion/Summary** : No data available.

**12.5 Degradability/Leaching**

**Conclusion/Summary** : This material is not expected to be readily biodegradable. The biodegradability of this material is based on an evaluation of data for the components or a similar material. The product has not been tested. The statement has been derived from the properties of the individual components.

**12.6 Environmental Fate**

**Conclusion/Summary** : Not determined.

**12.7 Results of PBT and vPvB assessment**

**Conclusion/Summary** : This product is not identified as a PBT/vPvB substance.

**12.8 Other adverse effects**

: Avoid release to the environment.

## 13. DISPOSAL CONSIDERATIONS

Use material for its intended purpose or recycle if possible.

**13.1 Waste treatment methods**

**Methods of disposal** : Oil collection services are available for used oil recycling or disposal. Place contaminated materials in containers and dispose of in a manner consistent with applicable regulations. Contact your sales representative or local environmental or health authorities for approved disposal or recycling methods.

PRODUCT NAME: Grease (Chevron NLGI 1) SDS#: SDS-36

**Hazardous waste** : Not considered to be a Hazardous Waste as shipped.

**13.2 Packaging**

**Methods of disposal** : Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

**13.3 Special precautions** : None known.

## 14. TRANSPORT INFORMATION

	US DOT	ADR/RID	IMDG	IATA	CAN TDG
<b>14.1 UN number</b>	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
<b>14.2 UN proper shipping name</b>	None.	None.	None.	None.	None.
<b>14.3 Transport hazard class(s)</b>	This product does not require a classification for transport.				
<b>14.4 Packing group</b>	None.	None.	None.	None.	None.
<b>14.5 Environmental hazards</b>	No.	No.	No.	No.	No.
<b>14.6 Special precautions for user</b>	Not available.	Not available.	Not available.	Not available.	Not available.
<b>Additional information</b>	None.				
<b>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not available.	Not available.	Not available.	Not available.	Not available.

## 15. REGULATORY INFORMATION

**15.1 Federal Regulations**

**Global Inventories:** All ingredients are on DSL/NDSL and TSCA inventories.

**EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):** This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

**EEC Council :**According to EEC Council Directive, this material is not a dangerous substance, but suitable precautions for handling chemicals should be taken

**INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:** This product is not classified as Dangerous Goods by the International Maritime Organization.

**INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):** This product is not classified as Dangerous Goods, by rules of IATA.

**Canada:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the Regulations.

**WHMIS Classification:** exempt

**TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:** This product is not classified as Dangerous Goods, per regulations of Transport Canada.

**NSNR/NPRI:** no reportable substances

**United States of America:** SDS prepared pursuant to the Hazard Communication Standard (29CFR1910.1200).

**U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:** This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

**EPA Hazardous Waste Number and Classification (40CFR261.22):** none required

**Clean Water Act:** None of the chemicals in this product are listed as a Hazardous Substance under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

**Toxic Substances Control Act (TSCA):** Listed on the TSCA inventory.

**WGK (Water Danger/Protection) :** 0

**DSL:** All components are either on the DSL, or are exempt from DSL listing requirements.

**U.S. Export Control Classification Number:** None.

**EPA SARA Title III/CERCLA**

**SARA Section 302 Extremely Hazardous Substances:** None of the chemicals in this product have a TPQ.

**SARA Codes:** None.

<b>EPCRA 311/312 CATEGORIES:</b>		
1. Immediate (Acute) Health Effects:		NO
2. Delayed (Chronic) Health Effects:		NO
3. Fire Hazard:		NO



PRODUCT NAME: Grease (Chevron NLGI 1) SDS#: SDS-36



- 4. Sudden Release of Pressure Hazard: NO
- 5. Reactivity Hazard: NO

**CERCLA/SARA - Section 313 and 40 CFR 372:**

This material does not contain any chemicals subject to the reporting requirements of SARA 313 and 40 CFR 372.

**EPA (CERCLA) Reportable Quantity (in pounds):** None.

**15.2 State Regulations**

**California Proposition 65:** This product does not contain a chemical known to the state of California to cause cancer, birth defect or other reproductive harm.

**Massachusetts** : The following components are listed: None.

**New Jersey** : The following components are listed: The product is to be identified as follows: PETROLEUM OIL (Grease).

**Pennsylvania** : The following components are listed: None.

**15.3 HMIS RATING:** Health 1, Flammability 1, Reactivity 0

**15.4 NFPA RATING:** Health 1, Flammability 1, Reactivity 0

## 16. OTHER INFORMATION

**16.1 Full text of abbreviated H statements** : H412: Harmful to aquatic life with long lasting effects.

**16.2 Full text of classifications** : None.

**16.3 Full text of abbreviated R phrases** : R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**16.4 Full text of classifications** : None.

**[DSD/DPD]**

**16.5 Guide to Abbreviations:**

ACGIH = American Conference of Governmental Industrial Hygienists; CASRN = Chemical Abstracts Service Registry Number; CEILING = Ceiling Limit (15 minutes); CERCLA = The Comprehensive Environmental Response, Compensation, and Liability Act; EPA = Environmental Protection Agency; GHS = Globally Harmonized System; IARC = International Agency for Research on Cancer; INSHT = National Institute for Health and Safety at Work; IOPC = International Oil Pollution Compensation; LEL = Lower Explosive Limit; NE = Not Established; NFPA = National Fire Protection Association; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; PEL = Permissible Exposure Limit (OSHA); SARA = Superfund Amendments and Reauthorization Act; STEL = Short Term Exposure Limit (15 minutes); TLV = Threshold Limit Value (ACGIH); TWA = Time Weighted Average (8 hours); UEL = Upper Explosive Limit; WHMIS = Worker Hazardous Materials Information System (Canada)

**16.6 SDS PREPARED BY: Director of Chemical Safety**

The information contained herein is based on data available to us and is accurate and reliable to the best of our knowledge and belief. However, Carlisle Fluid Technologies, Inc. makes no representations as to its completeness or accuracy. Information is supplied on condition that persons receiving such information will make their own determination as to its suitability for their purposes prior to use. In no event will Carlisle Fluid Technologies, Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon the information contained herein.

\*\*\* END OF SDS \*\*\*

