

SAFETY DATA SHEET

© Carlisle Fluid Technologies, Inc.
PRODUCT RELATED HEALTH DATA SHEET

1. IDENTIFICATION of the SUBSTANCE/MIXTURE and of the COMPANY

1.1 Product identifier

Product Name : Kluber NB52 Grease
Product Code : Part No. 172822
Product Description : Grease - Synthetic hydrocarbon oil barium complex soap.
SDS # : SDS-38 REVISION #: 3.0.2
CHEMICAL FORMULA: Mixture.
CAS NUMBER : Not Applicable.
Article Code : Not Applicable.
GENERAL USE : A Grease that is used as a spray gun and paint mixing equipment lubricant.
DATE REVISED: 12/16/2018 **DATE PREPARED**: 09/21/2015

1.2 Relevant identified uses of the substance or mixture and uses advised against
Not applicable.

1.3 Details of the supplier of the safety data sheet

Carlisle Fluid Technologies, Inc.

16430 North Scottsdale Road

Scottsdale, AZ 85254

Technical service number 1-888-992-4657

Technical service EuropeTel: +44 (0)1202 571 111

Emergency telephone number

Emergency Number - INFOTRAC
EMERGENCY PHONE (24 HOURS):
1-800-535-5053

The National Chemical Emergency Centre (NCEC)
Deutsche hotline - 0800 7238996 (Kostenfrei innerhalb Deutschlands)
oder +44 (0)1235 753 148

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Product definition : Mixture.
Classification according to Regulation (EC) No. 1272/2008 [CLP] : Not classified.

Ingredients of unknown toxicity : None known.

Ingredients of unknown ecotoxicity: None known.

Classification according to OSHA 29 CFR 1910.1299 and Directive 1999/45/EC [DPD]

The product is not classified as dangerous according to OSHA 29.CFR 1910.1200, Directive 1999/45/EC and its amendments.

Classification : Not classified.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms : No pictogram.
Signal word : None.
Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.
Hazardous ingredients : Contains N-alkylated benzotriazole.
Supplemental label elements : May produce an allergic reaction.

Special packaging requirements

Containers to be fitted with child-resistant fastenings : Not applicable.

Tactile warning of danger : Not applicable.

2.3 Other hazards

Other hazards which do not result in classification

Properties affecting health : Wash areas of contact with soap and water.

Principle routes of exposure : Skin, eye.

Skin contact : There may be mild irritation at the site of contact.

Eye contact : There may be irritation and redness.

Inhalation : There may be irritation of the throat.

Ingestion : No symptoms.

Chronic Effects: None.

Medical Conditions Aggravated by Long-Term Exposure: None known.

Target Organs: Not available.

Signs and Symptoms: May cause irritation to the skin and eyes. If such a reaction occurs, seek medical attention.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Product/ingredient name	Identifiers	%	Classification		Type
			67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	EC: 270-128-1 CAS: 68411-46-1	<25	R52/53	Aquatic Chronic 3, H412	[1]
N-alkylated benzotriazole	CAS: 94270-86-7	0.1- 0.25	Xi; R38 R43 N; R51/53	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411	[1]
See Section 16 for the full text of the R-phrases declared above.				See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII [4]

Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

4. FIRST AID MEASURES

4.1 Description of first aid measures

EYE CONTACT : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

INHALATION : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SKIN CONTACT : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

INGESTION : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small

PRODUCT NAME: Kluber NB52 Grease SDS#: SDS-38



quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.


Specific treatments : No specific treatment. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : In a fire or if heated, a pressure increase will occur and the container may burst. Use water spray to cool containers. Suitable extinguishing media for the surrounding fire should be used - Alcohol foam, dry chemical, carbon dioxide, water spray, fog.

Unsuitable extinguishing media : None known.



5.2 Special hazards arising from the substance or mixture

- Flammability class** : No information available.
- Fire retardant method** : No information available.
- Flash Point** : No information available.
- Autoignition Temperature** : No information available.
- Sensitivity to Static Discharge** : No information available.
- Hazards from the substance or mixture** : No information available.
- Unusual Fire and Explosion Hazards** : No information available.
- Hazardous combustion products** : No specific data.
- Note** : None.

5.3 Advice for firefighters

Special precautions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. When the potential chemical hazard is unknown, a self-contained breathing apparatus should be worn. In addition, wear other appropriate protective equipment as conditions warrant (see Section 8).

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

HMIS RATING: See Section 15.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information



PRODUCT NAME: Kluber NB52 Grease SDS#: SDS-38



in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Spills into or upon navigable waters, the contiguous zone, or adjoining shorelines that cause a sheen or discoloration on the surface of the water, may require notification of the National Response Center (phone number 800-424-8802).

6.3 Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8).
Do not enter confined spaces such as tanks or pits without following proper entry procedures such as ASTM D-4276 and 29CFR 1910.146.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations : Not available.

Industrial sector specific solutions : Not available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

8.2 Exposure controls

Appropriate engineering : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering con-



controls to keep worker exposure below any recommended or statutory limits.

Personal Protection Equipment

- Eye Protection** : Safety glasses with side-shields. Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts
- Skin Protection** : Protective gloves. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Wear appropriate clothing to prevent skin exposure.
- Body Protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product
- Respiratory Protection** : Respiratory protection not normally required. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Other protective clothing** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Specific situations may require consultation with industrial hygiene, safety, or engineering professionals.
- Hygienic Practices** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

8.3 Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Note: Unless otherwise stated, values are determined at 20°C (68°F) and 760 mm Hg (1 atm). Data represent typical values and are not intended to be specifications.

- Physical state** : Paste.
- Color** : Beige.
- Odor** : Characteristic.
- Appearance** : Viscous.
- pH** : Not available.
- Freezing point** : Not available.
- Melting point** : Not available.
- Flash point** : Not applicable.
- Flammability (solid, gas)** : Not available.
- Burning time** : Not applicable.
- Burning rate** : Not applicable.
- Upper/lower flammability or explosive limits** : Not applicable.
- Vapor pressure** : No data.
- Vapor Density (air=1)** : No data.
- Relative Density** : 0.96 g/cm³ [20°C].
- Solubility in Water** : Insoluble in cold water and hot water.
- Partition coefficient:** : No data.
- n- octanol/water**
- Auto-ignition temperature** : No information available.

PRODUCT NAME: Kluber NB52 Grease SDS#: SDS-38

- Decomposition temperature** : No data.
- Viscosity** : Highly viscous.
- Specific Gravity (water=1)** : No data.
- Pour Point** : No data.
- Explosive properties** : No data.
- VOC** : No data.
- Oxidizing properties** : No data.
- Evaporation Rate** : No data.
- 9.2 Other information** : No additional information.

10. STABILITY AND REACTIVITY

- 10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- 10.2 Chemical stability** : Product is stable.
- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : Heat and direct sunlight.
- 10.5 Incompatible materials** : Strong oxidizing agents, Acids, Bases and Strong reducing agents.
- 10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

11.1 Acutetoxicity Effects of Acute Exposure (LD50 oral and LC50)

Product/ingredient name	Result	Species	Dose	Exposure
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	>5000 mg/kg	-

11.2 Acute toxicity estimates

Conclusion/Summary : Not available.

11.3 Irritation/Corrosion

Conclusion/Summary : Not available.

11.4 Sensitizer

Conclusion/Summary : Not available.

11.5 Mutagenicity

Conclusion/Summary : Not Available.

11.6 Carcinogenicity

Conclusion/Summary : No known significant effects or critical hazards.

11.7 Reproductive toxicity

Conclusion/Summary : No known significant effects or critical hazards.

11.8 Teratogenicity

Conclusion/Summary : No known significant effects or critical hazards.

11.9 Specific target organ toxicity (single exposure)

Conclusion/Summary : No known significant effects or critical hazards.

11.10 Specific target organ toxicity (repeated exposure)

Conclusion/Summary : No known significant effects or critical hazards.

11.11 Aspiration hazard

Conclusion/Summary : Not classified.

11.12 Information on the likely routes of exposure : Not available.

11.13 Potential acute health effects

- Inhalation** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Eye contact** : No known significant effects or critical hazards.

11.4 Symptoms related to the physical, chemical and toxicological characteristics

- Inhalation : No specific data.
- Ingestion : No specific data.
- Skin contact : No specific data.
- Eye contact : No specific data.

11.15 Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects : Not available.
- Potential delayed effects : Not available.

Long term exposure

- Potential immediate effects : Not hazardous.
- Potential delayed effects : May causes eye irritation.

11.16 Potential chronic health effects

- Effects of Chronic Exposure : Not known.
- General : No known significant effects or critical hazards.
- Carcinogenicity (IARC, ACGIH) : None- NTP, IARC, or OSHA.
- Mutagenicity : Not known.
- Teratogenicity : Not known.
- Developmental effects : Not known.
- Fertility effects : Not known.
- 11.17 Other information : Not available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

- Aquatic Conclusion/Summary : Not available.

12.2 Persistence

- Conclusion/Summary : Not available.

12.3 Bioaccumulation/Accumulation

- Conclusion/Summary : Not available.

12.4 Mobility/Persistence in soil

- Conclusion/Summary : Not available.

12.5 Degradability/Leaching

- Conclusion/Summary : Not available.

12.6 Environmental Fate

- Conclusion/Summary : Not available.

12.7 Results of PBT and vPvB assessment

- Conclusion/Summary : This product is not identified as a PBT/vPvB substance.

12.8 Other adverse effects

- : Avoid release to the environment.

13. DISPOSAL CONSIDERATIONS

The generator of a waste is always responsible for making proper hazardous waste determinations and needs to consider state and local requirements in addition to federal regulations.

13.1 Waste treatment methods

- Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the sanitary sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of waste material in accordance with all local, regional, national, and international regulations.

- Hazardous waste : Not considered to be a Hazardous Waste as shipped. Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

13.2 Packaging

- Methods of disposal : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

PRODUCT NAME: Kluber NB52 Grease SDS#: SDS-38



13.3 Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

14. TRANSPORT INFORMATION

	<u>US DOT</u>	<u>ADR/RID</u>	<u>IMDG</u>	<u>IATA</u>	<u>CAN TDG</u>
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	None.	None.	None.	None.	None.
14.3 Transport hazard class(s)	This product does not require a classification for transport.				
14.4 Packing group	None.	None.	None.	None.	None.
14.5 Environmental hazards	No.	No.	No.	No.	No.
14.6 Special precautions for user	Not available.	Not available.	Not available.	Not available.	Not available.
Additional information	None.				
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not available.	Not available.	Not available.	Not available.	Not available.

15. REGULATORY INFORMATION

15.1 Federal Regulations

Global Inventories: All ingredients are on DSL/NDSL and TSCA inventories.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

EEC Council :According to EEC Council Directive, this material is not a dangerous substance, but suitable precautions for handling chemicals should be taken

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION: This product is not classified as Dangerous Goods by the International Maritime Organization.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA): This product is not classified as Dangerous Goods, by rules of IATA.

Chemical Weapons Convention List Schedule I Chemicals : Not listed.

Chemical Weapons Convention List Schedule II Chemicals : Not listed.

Chemical Weapons Convention List Schedule III Chemicals : Not listed.

EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorization Substances of very high concern:None of the components are listed.

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all the information required by the Regulations.

WHMIS Classification: exempt

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: This product is not classified as Dangerous Goods, per regulations of Transport Canada.

NSNR/NPRI: no reportable substances

United States of America: SDS prepared pursuant to the Hazard Communication Standard (29CFR1910.1200).

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

EPA Hazardous Waste Number and Classification (40CFR261.22): none required

Clean Water Act: None of the chemicals in this product are listed as a Hazardous Substance under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

Toxic Substances Control Act (TSCA): Listed on the TSCA inventory.

WGK (Water Danger/Protection) : 0

DSL: All components are either on the DSL, or are exempt from DSL listing requirements.

U.S. Export Control Classification Number: None.

EPA SARA Title III/CERCLA

SARA Section 302 Extremely Hazardous Substances: None of the chemicals in this product have a TPQ.

SARA Codes: None.

Section 313: No chemicals are reportable under Section 313.

PRODUCT NAME: Kluber NB52 Grease SDS#: SDS-38

CERCLA/SARA - Section 313 and 40 CFR 372:

This material does not contain any chemicals subject to the reporting requirements of SARA 313 and 40 CFR 372.

EPA (CERCLA) Reportable Quantity (in pounds): None.

15.2 State Regulations

California Proposition 65: This product does not contain a chemical known to the state of California to cause cancer, birth defect or other reproductive harm.

Massachusetts : The following components are listed: None.

New Jersey : The following components are listed: None.

Pennsylvania : The following components are listed: None.

15.3 HMIS RATING: Health 1, Flammability 0, Reactivity 0

15.4 NFPA RATING: Health 1, Flammability 0, Reactivity 0

16. OTHER INFORMATION

16.1 Full text of abbreviated H statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

16.2 Full text of classifications : Aquatic Chronic 2, H411 AQUATIC TOXICITY (CHRONIC) - Category 2

Aquatic Chronic 3, H412 AQUATIC TOXICITY (CHRONIC) - Category 3

Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

Skin Sens. 1, H317 SKIN SENSITIZATION - Category 1

16.3 Full text of abbreviated R phrases : R38- Irritating to skin.

R43- May cause sensitization by skin contact.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

16.4 Full text of classifications : Xi - Irritant.

[DSD/DPD]

N - Dangerous for the environment

16.5 Guide to Abbreviations:

ACGIH = American Conference of Governmental Industrial Hygienists; CASRN = Chemical Abstracts Service Registry Number; CEILING = Ceiling

Limit (15 minutes); CERCLA = The Comprehensive Environmental Response, Compensation, and Liability Act; EPA = Environmental Protection Agency; GHS = Globally Harmonized System; IARC = International Agency for Research on Cancer; INSHT = National Institute for Health and Safety at Work; IOPC = International Oil Pollution Compensation; LEL = Lower Explosive Limit; NE = Not Established; NFPA = National Fire Protection Association; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; PEL = Permissible Exposure Limit (OSHA); SARA = Superfund Amendments and Reauthorization Act; STEL = Short Term Exposure Limit (15 minutes); TLV = Threshold Limit Value (ACGIH); TWA = Time Weighted Average (8 hours); UEL = Upper Explosive Limit; WHMIS = Worker Hazardous Materials Information System (Canada)

16.6 SDS PREPARED BY: Director of Chemical Safety

The information contained herein is based on data available to us and is accurate and reliable to the best of our knowledge and belief. However, Carlisle Fluid Technologies, Inc. makes no representations as to its completeness or accuracy. Information is supplied on condition that persons receiving such information will make their own determination as to its suitability for their purposes prior to use. In no event will Carlisle Fluid Technologies, Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon the information contained herein.

*** END OF SDS ***