Easy for beginners, powerful for specialists

- You can use the 3 pre-set standard programs or create your own library of customized programs, optimized for your parts and powder.
- Ideal charging with PCC, precise control with DVC, and several advanced functions for the most demanding applications
- Remote control and data collection via **Gema E-App**









Clear interface


Easy for beginners

Powerful for specialists


Power on your fingerprints

- The **OptiStar 4.0** control features the most advanced technologies to control the powder application:
 - o **PCC** technology allows to optimize the electrostatic charging even with challenging powders
 - **DVC** technology grants the most precise and repeatable powder output settings
- A clear and easy to use interface makes it easy for every user to take advantage of these powerful technologies






Easy control of the application parameters



Powder Output	[%]
Total Air volume	[Nm³/h] or [scfm]
High Voltage	[kV]
Spray Current	[μΑ]


Pre-set application programs

- 3 pre-set application programs, based on Gema's 50 years experience, are a great help for less experienced users.
- The **flat parts program** is ideal for the coating of panels and flat parts.
- The **complex parts program** is designed for the coating of three dimensional parts with complex shapes such as profiles.
- The **recoat program** parts is optimized for the re-coating of parts which have already been coated.



Application programs library

- Advanced users can create and easily recall their library of application programs.
- Each program includes all the application parameters (powder output, air volume, high voltage, charging current).
- The programs are **automatically saved** and can be easily recalled when required.
- Each part can be coated always with its ideal settings.
 - This strongly improves the application quality.




Advanced features

- **Precise Charge Control** (**PCC**) mode is automatically activated when Current is set below 10 μA.
 - HV / Current display turns red


- Rinsing removes powder accumulations from the injector / hose / gun.
 - Display shows a rotating green symbol





Advanced features

- The control unit offers the possibility to monitor wearing parts using up to 4 working hours reverse counters
- Powder output correction factor compensates the different hoses lengths and makes sure that all guns have the same powder output
- Keyboard lock prevents accidental modification of the parameters
- In case of failure the display shows an error code for easier troubleshooting





Gema E-App

The most advanced and powerful tool to manage the powder application and monitor the productivity of your line!!

Connect via **Bluetooth** one or multiple OptiStar 4.0 gun controllers.





