



German Engineering

CATALOGUE 2025

SPRAY GUNS

CUP SYSTEMS

BREATHING PROTECTION

FILTER TECHNOLOGY

ADDITIONAL PRODUCTS

MERCHANDISING ITEMS



Breathing Protection



Breathing Protection		Product description	Product advantages
	SATA air vision 5000 114	The SATA air vision 5000 offers a completely redesigned way of supplied air respiratory protection. The respiratory hood not only ensures high breathing air quality but also a low noise level. The modern, ergonomic design fits with almost any head shape and can be individually adjusted in size, height and position.	• Absolute safety through external supply of clean air to the spray booth – up to 100 times TRC value and suitable for continuous use • No inhalation resistance, very comfortable breathing • Ergonomic design with individual adjustment options and one-hand operation of the visor • Little operating costs, quick pay-off of purchase costs • Soft-stream flow-optimised air distribution in the hood • Reduced sound level: 64 dB (like a conversation in 1m distance) • The SATA CCS Discs (Color Code System) allow to personalise hood, SATA air regulator and SATA air carbon regulator • Single solvent resistant tear off visors over an aperture in the front of the mask, ensuring 100% visibility and reduction in light reflections.
	SATA vision 2000 118	This full hood is specifically designed to meet the requirements of painters and protects the respiratory system, eyes, skin and hair. In addition, it offers a high wearing comfort and optimum hygiene. The hood with hygienic hood insert, replaceable sweatband and acoustic warning device is available as a set. This includes a belt unit – optionally with activated carbon adsorber and air flow regulation and display or a T-piece with an air flow regulation.	• High breathing air quality due to air supply independent of ambient air, no inhalation resistance, high breathing comfort • High protection level, suitable for long application intervals • Protects up to 100 times the TRC-value • Visor allows one-hand operation • Single solvent resistant tear off visors over an aperture in the front of the mask, ensuring 100% visibility and reduction in light reflections. • Little operating costs, quick pay-off of purchase costs
	SATA air star C 120	The SATA air star C half mask offers maximum visibility and better breathing protection than half masks with filter cartridges. The activated carbon filter, either as a static unit on the wall or portable on the belt unit, provides clean breathing air. The optimally filtered air is supplied to the user directly into the mask, in a steady stream without any inhalation resistance.	• Ambient air independent supply of pure breathing air (protects up to 100 times the TRC value)* also outside the spray booth • No inhalation resistance, very comfortable breathing • Free vision (protective goggles required) • No accumulation of heat and humidity inside the mask • Excellent fit for any type of facial contours • Very light and comfortable • 4 pointed straps for easy handling and safe fit
	air star F 2.0 124	The latest generation of the filter half-mask from SATA weighs approx. 325 grams and is significantly lighter than its predecessor. With its anatomically shaped mask body and further improved wearing comfort, it makes wearing a mask more comfortable: Respiratory protection for minor painting or preparatory work outside the booth. The filters of the air star F 2.0 are slightly flatter, and they also sit lower and further back than on previous models. This results in a larger field of vision. The practical click system makes it easy to change the filter.	• Low weight • Enlarged field of vision • Improved wearing comfort • Practical head band: adjust once - and only once • New look in elegant black with red accents

Breathing Protection without Activated Charcoal Belt Unit



Recommended accessories

1007005
SATA air warmer



1006982
SATA air cooler



49080
Safety compressed air hose
crush and kink resistant, 6 m



13870
Gun air hose
9 mm inner diameter, 1.2 m to connect a spray
gun to the belt unit



Compressed air-supplied respirator hood to combine with triple-stage compressed air filters, e.g. SATA filter 584 with integrated activated charcoal filter stage.



Please order the gun **air hose #13870** for the best connection between air regulator and spray gun.

Breathing Protection with Activated Charcoal Belt Unit



Recommended accessories

1000132

SATA air warmer carbon for SATA air carbon regulator
Multi-stage adjustable breathing air warmer



1006982

SATA air cooler



49080

Safety compressed air hose
crush and kink resistant, 6 m



13870

Gun air hose
9 mm inner diameter, 1.2 m to connect a spray gun to the belt unit



1115189

Activated charcoal filter
for SATA air carbon regulator



Compressed air-supplied respirator hood to combine with double-stage compressed air filters fixed to the wall, e.g. SATA filter 544 **with-out** integrated activated charcoal filter stage.



Please order the gun **air hose #13870** for the best connection between air regulator and spray gun.

SATA air vision 5000

Technical Data	SATA air vision 5000
Min. required air flow volume	150 NI/min
Max. operating pressure	10,0 bar
Noise level	64 dB



Available versions

1000124
SATA air vision 5000 n carbon set Version with activated carbon adsorber



213819
SATA air vision 5000 n set Version without activated carbon adsorber



1000249
SATA air vision 5000 n hood



1000059
SATA air carbon regulator set for SATA air vision 5000 / n



1000108
SATA air regulator set for SATA air vision 5000



1000166
SATA air carbon regulator for SATA air vision 5000 / n



Available versions

1000190
SATA air regulator for SATA air vision 5000 / n



1030668
SATA air regulator belt plus for SATA air vision 5000 / n



1000215
SATA air regulator belt for SATA air vision 5000 / n



1006982
SATA air cooler incl. adapter plate and hip pad for SATA air vision 5000 / n



1007005
SATA air warmer, incl. adapter plate and hip pad for SATA air vision 5000 / n



1000132
SATA air warmer carbon for SATA air carbon regulator



Accessories

1115189
Activated charcoal filter #218206, incl. 2 filter caps for SATA air carbon regulator

49080
SATA Safety compressed air supply hose Ø 10 mm, 6 m long, for SATA breathing protection systems



176792
SATA safety compressed air supply hose Ø 10mm, 10 m long for SATA breathing protection systems

180851
SATA safety compressed air supply hose Ø 10mm, 40 m long for SATA breathing protection systems

13870
SATA air hose, blue, 9mm, 1.2 m with quick coupling, red and nipple



All prices are recommended list prices. Errors, technical modifications and printing errors reserved.

SPRAY GUNS

CUP SYSTEMS

BREATHING PROTECTION

FILTER TECHNOLOGY

ADDITIONAL PRODUCTS


MERCHANDISING ITEMS

Spare parts


SATA air vision
5000

1014232
Hip pad (packing unit 1 piece)
1014240
Air hose cpl.
1018143
Filter fastener
1036947
Adapter plate
1039917
Comfort head band (packing unit 100 pieces)
1066415
Control knob, cpl.
1073197
Pad for head band (adjustment wheel) (packaging unit 2 pieces)
1076521
Cylinder screw
1076589
Air hose cpl. (for SATA air humidifier)
1076612
Container
1076620
Lid
1076638
Safety band for bayonet lock
1076662
Pressure relief valve, cpl.
1076688
Threaded elbow joint, swiveling
1076703
Safety and quick coupling with free passage
1114256
Head fixation 2.0
1115189
Activated charcoal filter #218206, incl. 2 filter caps
1128918
O ring 52 x 2 mm, black, pack of 2
13623
SATA quick coupling 1/4" (male thread)
206151
SATA filter timer for sinter filter
208439
Belt with buckle
208447
Hip pad (packing unit 1 piece)
208462
Adapter plate
210468
Visor foil, 6 perforations (packing unit 20 pieces)
210526
Visor foil, 6 perforations (packing unit 1000 pieces)
211904
CCS disc (packing unit 4 pieces)
211912
Hygiene insert (packing unit 20 pieces)
213728
Comfort band (packing unit 10 pieces)
213736
Visor bolt (packing unit 6 pieces)
213751
Hood holder for SATA air regulator
213835
Hook-and-loop tape long (packing unit 1 piece) and short (packing unit 2 pieces), adhesive on one side
215590
Visor foil, 6 perforations (packing unit 100 pieces)
216473
Safety quick coupling for SATA air regulator and SATA air carbon regulator
226456
Plug-in diffuser
226621
Humidifier kit consisting of humidifier module, lid seal and SATA filter timer
226746
Hood cloth, dark grey
53942
Nipple G 1/4 f. GS respirator, UBE + blow-off gun, size 14


81158
Humidifier module cpl.




Spare parts for:
SATA air carbon regulator Art. Nr. 1000166



Spare parts for:
SATA air regulator Art. Nr. 1000190



Spare parts for:
SATA air warmer Art. Nr. 1007005
SATA air cooler Art. Nr. 1006982



SATA vision 2000

Technical Data	SATA vision 2000
Min. required air flow volume	170 NI/min
Max. operating pressure	8,0 bar
Noise level	73 dB



Available versions

173880
SATA respirator kit in systainer: SATA vision 2000 n and belt unit with activated charcoal adsorber and air regulation valve, SATA air warmer, SATA air hose 1.2 m



69500
SATA respirator kit vision 2000 n, with activated charcoal adsorber



154591
SATA breathing protection kit: SATA vision 2000 n and belt unit with T-piece and air control valve, version without activated carbon belt unit



52712
Hood for full face respirator vision 2000 n, with head/chest cloth over hood, without belt unit



54015
Belt unit with activated charcoal adsorber and air regulation valve for SATA vision 2000 and respirator hood CE industry with UV protection





122341
Belt unit with T-piece and air regulation valve for SATA vision 2000 / n, respirator hood CE industry with UV protection, air star C

58941
Belt unit with air regulation valve for SATA vision 2000 / n, respirator hood CE industry with UV protection, air star C

Spare parts

SATA vision 2000

10330
Sweat ribbon, microfibre-velour (packing unit 10 pieces)
1188912
SATA quick coupling nipple G 1/4" (female thread)
121038
Breathing air hose, cpl. with acoustic warning device, foam sleeve and noise reducer/coupling
13623
SATA quick coupling 1/4" (male thread)
13854
Silencer
13904
Activated charcoal cartridge for SATA activated charcoal adsorber
13920
Belt with buckle
149872
Belt cushion
21840
Set of plug-in nipples, complete, for Vision 2000 / n
21865
Bottom part (packing unit 2 pieces)
22947
O-ring
25064
Pressure gauge 0 - 6 bar, 40 mm, green area 1.3 - 2.6 bar
25106
Spindle, complete, for adsorber (CE) of half mask + full face respirator
27797
Adsorber glass
35659
Visor foil, 6 perforations (packing unit 5 pieces)
35675
Visor foil, 6 perforations (packing unit 25 pieces)
36301
Visor foil, 6 perforations (packing unit 1000 pieces)
49114
Breathing air hose with acoustic warning device and foam sleeve, without noise reducer/coupling
49726
Protective cage f. respirator filter unit
53934
Safety quick coupling for SATA full face respirator
53942
Nipple G 1/4 f. GS respirator, UBE + blow-off gun, size 14
53975
Hose clamp 10.5 GER
56184
Foam sleeve for CE respirator
60541
Head / chest scarf, grey, over hood
69658
Hood inlay, black (20 pieces)
6981
SATA quick coupling nipple G 1/4" (female thread) (packing unit 5 pieces)
76299
Foam stripes, one side self-adhesive 8 x 25 x 345 mm, for respirators
82594
Hood with velcro tape, loose, for Vision 2000 / n respirator
89243
Adjustable part for head strap of Vision 2000 / n respirator
89250
Head strap, cpl., for Vision 2000 / n respirator
89268
Screwing (2 pieces)
89276
Carrier frame with side parts, plug-in nipples and bottom part, for Vision 2000 / n respirator



SPRAY GUNS

CUP SYSTEMS

BREATHING PROTECTION

FILTER TECHNOLOGY

ADDITIONAL PRODUCTS

MERCHANDISING ITEMS

SATA air star C

Technical Data	SATA air star C
Min. required air flow volume	150 NI/min
Max. operating pressure	4,0 bar
Noise level	70 dB



Available versions

137554
SATA respirator kit: SATA air star C and belt unit with activated charcoal filter and air regulation valve



137570
SATA breathing protection kit: SATA air star C and belt unit with T-piece and air control valve, version without activated carbon belt unit



137588
SATA air star C half mask with breathing hose, without filter



55798
Belt unit with activated charcoal adsorber and air regulation valve for SATA air star C



122341
Belt unit with T-piece and air regulation valve for SATA vision 2000 / n, respirator hood CE industry with UV protection, air star C







58941
Belt unit with air regulation valve for SATA vision 2000 / n, respirator hood CE industry with UV protection, air star C



Spare parts

SATA air star C

1188912
SATA quick coupling nipple G 1/4" (female thread)
120469
Breathing air hose, cpl.
120477
Air distributor (packing unit 2 pieces)
134254
Head strap with fixing unit and yoke for SATA air star C
134270
Inhalation and exhalation diaphragms (packing unit 5 pieces or 10 pieces, resp.)
13623
SATA quick coupling 1/4" (male thread)
137612
Connection (packing unit 2 pieces)
13904
Activated charcoal cartridge for SATA activated charcoal adsorber
13920
Belt with buckle
149872
Belt cushion
22947
O-ring
25015
Pressure gauge 0 – 6 bar, 40 mm, green area 1 – 3 bar
25106
Spindle, complete, for adsorber (CE) of half mask + full face respirator
3194
Adsorber glass
49726
Protective cage f. respirator filter unit
53934
Safety quick coupling for SATA full face respirator
53942
Nipple G 1/4 f. GS respirator, UBE + blow-off gun, size 14
6981
SATA quick coupling nipple G 1/4" (female thread) (packing unit 5 pieces)
75176
Safety quick closure coupling NW 5, type 21, for adsorber of half mask respirator, version GS



SPRAY GUNS

CUP SYSTEMS

BREATHING PROTECTION

FILTER TECHNOLOGY

ADDITIONAL PRODUCTS

MERCHANDISING ITEMS

Accessories for SATA vision 2000/SATA air star C

SATA air warmer / air cooler for SATA vision 2000

61242

SATA air warmer 2000



1143916

SATA air cooler 2000



Accessories and air hoses

13904

Activated charcoal cartridge for SATA activated charcoal adsorber for SATA vision 2000 / n and SATA air star C



15412

Suspender belt for SATA belt units SATA air star C and SATA air vision 5000 / n / vision 2000 / n



13870

SATA air hose, blue, 9mm, 1.2 m with quick coupling, red and nipple



49080

SATA Safety compressed air supply hose Ø 10 mm, 6 m long, for SATA breathing protection systems



176792

SATA safety compressed air supply hose Ø 10mm, 10 m long for SATA breathing protection systems

180851

SATA safety compressed air supply hose Ø 10mm, 40 m long for SATA breathing protection systems

Cleaning cloths

134965

SATA half mask cleaner (packing unit 10 pieces)

135020

SATA half mask cleaner (packing unit 50 pieces)

75358

SATA wet & dry cleaner (packing unit 10 pieces) Please observe: The supplied product has a limited use-by date!

83881

SATA wet & dry cleaner (packing unit 50 pieces) Please observe: The supplied product has a limited use-by date!

Head covers for SATA vision 2000

60541

Head / chest scarf, grey, over hood for SATA vision 2000 / n



56762

Head and chest cloth, grey for SATA vision 2000 / n



SATA top air
Spare parts

163535
Holder
163543
Container with acme thread
176420
O-ring 68 x 2.0 NBR for SATA top air
199729
O-Ring for SATA top air
24505
Safety quick closure coupling, free passage, for SATA top-air
24612
Nipple
24919
O-ring
24950
Safety valve, complete, for SATA top-air
46169
Plug-in nipple for SATA top-air
53975
Hose clamp 10.5 GER
63214
Closing screw for SATA top-air
70789
O-ring 5 x 2 mm, ethylene-propylene, for control piston SATA LP90
72611
Valve, complete, for SATA top-air
81158
Humidifier module cpl.
82917
Breathing air hose, cpl.

SATA air warmer / air cooler

Spare parts

1099
Closing screw DIN 906 G 1/8-ST., nickel-plated
1503
Countersunk screw M4 x 8 DIN 965, stainless steel, for micrometer und round/flat spray control
29413
Nipple
53934
Safety quick coupling for SATA full face respirator
65557
Control knob



air star F 2.0



Available versions

1173252
air star F 2.0 including hygiene storage box with filter A2 and P3



Accessories


134965
SATA half mask cleaner (packing unit 10 pieces)

135020
SATA half mask cleaner (packing unit 50 pieces)

Spare parts

air star F 2.0

- 1173202
- Filter kit filter classes A2 and P3
- 1181510
- Filter pair A2
- 1196551
- Filter pair P 3
- 1214171
- Filter cover, pack of 2 pieces



SPRAY GUNS

CUP SYSTEMS

BREATHING PROTECTION

FILTER TECHNOLOGY


ADDITIONAL PRODUCTS

MERCHANDISING ITEMS

Spare parts

SATA air star F

134239
Pre-filter (packing unit 50 pieces)
134247
Pre-filter holder, red (packing unit 2 pieces) and pre-filter (packing unit 10 pieces) Please observe: The supplied product has a limited use-by date!
134254
Head strap with fixing unit and yoke for SATA air star C
134262
Pre-filter (packing unit 10 pieces)
134270
Inhalation and exhalation diaphragms (packing unit 5 pieces or 10 pieces, resp.)
134296
Special filter A2 P3 R D (1 pair)
134304
Special filter A2:P3 R D (6 pairs)
134312
Special filter A2:P3 D (3 pairs)





Filter Technology

SATA filter timer to monitor the filter cartridge exchange intervals of all filter stages

Air inlet G ½ " female thread;

Flow-optimized cyclone separator with high separation efficiency of particles > 5 µm

Automatic condensate discharge valve – high operating security, low service requirement

Large pressure regulator for a precise setting of the required outlet pressure

Air outlet module – extendable if required

Air flow at 6 bar (87 psi): 3,800 NI/min (135 cfm)
In-line installation from the left or the right side possible

Air outlet with ball valves (¼" male thread) – (optional: SATA high flow quick couplings)

First filter stage:	Second filter stage:	Third stage:
■ Sintered filter to separate particles > 5 µm ■ Cleaning and exchange interval: 6 months	■ Fine filter cartridge to separate particles > 0.01 µm ■ Separation efficiency: 99.998 % ■ Exchange interval: 6 months	■ Sintered activated charcoal cartridge with higher separation efficiency of oil vapours ■ Suitable for the use of compressed air-supplied breathing masks ■ Exchange interval: 6 months

Filter Technology		Product description	Product advantages
	SATA filter 584/564/544/524 130	The SATA filter series 500 is available either as a one-stage sintered filter with water and oil separator, as a two-stage combination filter with sintered and fine filter, or as a three-stage filter unit with additional sintered activated charcoal filter.	• Higher absorption of contaminations (compared to SATA filter 484) due to the new sintered activated charcoal filter • Synchronised maintenance: Filter maintenance only necessary every six months for all stages • Maintenance-free bayonet lock with haptic and acoustic feedback • Fine filter and activated charcoal filter cartridges fit perfectly by simply being inserted – no screw fittings or additional seals • Simple plug-in system for upgrading SATA filter 544 to 584 • Maintenance-free sealing elements • Line connection possible either from the left or the right side • Air flow at 6 bar: 3,800 NI/min
	SATA filter 103 prep/101 prep/100 prep 134	The SATA filters 100 prep and 103 prep have been specially developed for the requirements at the work preparation area. By using these filters, coating flaws can be avoided from the beginning. Not suitable for use in spray booths.	• Finest particles are separated down to a size of 0.1 µm • The first filter stage with large cyclone separator and sinter filter reliably removes oil droplets, condensate and suspended particles from the compressed air. • The second filter stage, the microfiber fine filter, separates fine particles down to a size of 0.1 µm • The third filter stage with activated charcoal provides the highest level of safety when processing waterborne primer materials. • The automatic condensate drain of the 1st filter stage keeps the service effort low and increases the operational reliability • Pressure regulator valve with gauge for precise adjustment of the outlet pressure • Ideal for the work preparation area with temperatures < 50 °C • Air flow rate 800 NI/min at 6 bar inlet pressure.

SATA filter

584/564/544/524

Technical Data	SATA filter 584/564/544/524
Max. air flow	3800 l/min
Max. permissible surrounding temperature (with / without activated charcoal)	60 °C; 120 °C
Max. air inlet pressure	15,0 bar
Thread connection inlet side	G 1/2" (female thread)
Exchange interval first filter stage	6 Months
Exchange interval second filter stage	6 Months
Exchange interval third filter stage	6 Months



Combi filter

1099953
SATA filter 584 triple-stage sinter filter/fine filter/activated charcoal with pressure regulator and outlet module (2 x 1/4" male thread)



1101675
SATA filter 584 mobil, triple-stage sintered filter/fine filter/activated charcoal with pressure regulator, air outlet (2x quick coupling) and SATA air hose, 13 mm with trolley



1101625
SATA filter 584 with carrying support triple-stage sinter filter/fine filter/activated charcoal, pressure regulator, outlet module (2 x 1/4" male thread)



1101005
SATA filter 564 add-on kit activated charcoal filter to retrofit SATA filter 544 to SATA filter 584



1100990
SATA filter 544 double-stage sinter filter/fine filter with pressure regulator and outlet module (2 x 1/4" male thread)



1101659
SATA filter 524 single-stage sinter filter, pressure regulator, outlet module (2 x 1/4" male thread)



Combi filter

1101641
SATA filter 524 L single-stage sinter filter, pressure regulator, for pipeline installation (G 1/2" female thread)



1101667
SATA pressure reducer with gauge 0-10 bar (0-145 psi), air outlet G 1/2" (female thread)



SPRAY GUNS

CUP SYSTEMS

BREATHING PROTECTION

FILTER TECHNOLOGY

ADDITIONAL PRODUCTS


MERCHANDISING ITEMS

Spare parts

SATA filter

584/544

1097486
Pressure reducer cap with pressure adjustment screw and countersunk screw
1097999
Fine filter cartridge
1098004
Activated charcoal cartridge
1098054
Service kit for SATA filter series 500: with fine filter and activated charcoal cartridge
1101089
Diaphragm incl. pressure spring and spindle
1101097
Pressure steering unit
1101104
Pressure gauge 0 - 15 bar (0-145 psi)
1101112
Cover unit with ball valves 2 pcs.
1101154
Filter housing
1101162
Filter sleeve with automatic discharge valve
1114298
Cyclone separator
15511
Automatic condensate drain valve
22160
Sintered filter
24521
Condensate retainer




Repair kit

1102087
Service unit SATA Filter series 400
1101518
Sealing kit

Spare parts

SATA filter
564/524

1097486
Pressure reducer cap with pressure adjustment screw and countersunk screw
1098004
Activated charcoal cartridge
1098054
Service kit for SATA filter series 500: with fine filter and activated charcoal cartridge
1101089
Diaphragm incl. pressure spring and spindle
1101097
Pressure steering unit
1101104
Pressure gauge 0 - 15 bar (0-145 psi)
1101112
Cover unit with ball valves 2 pcs.
1101154
Filter housing
1101162
Filter sleeve with automatic discharge valve
1114298
Cyclone separator
15511
Automatic condensate drain valve
22160
Sintered filter
24521
Condensate retainer



Repair kit

1102087
Service unit SATA Filter series 400
1101518
Sealing kit

SPRAY GUNS

CUP SYSTEMS

BREATHING PROTECTION

FILTER TECHNOLOGY

ADDITIONAL PRODUCTS

MERCHANDISING ITEMS

SATA filter 103 prep/101 prep/100 prep

Technical Data	SATA filter 103 prep/101 prep/100 prep
Max. air flow	800 NI/min
Max. permissible surrounding temperature (with / without activated charcoal)	50 °C
Max. air inlet pressure	10,0 bar
Thread connection inlet side	G 1/2" (female thread)
Exchange interval first filter stage	6 Months
Exchange interval second filter stage	6 Months
Exchange interval third filter stage	3 Months



Available versions

157420
SATA filter 103 prep triple-stage sinter filter/fine filter/activated charcoal filter with pressure regulator and 1 outlet tap (1/4" male thread)



157412
SATA filter 101 prep single-stage activated charcoal filter to retrofit filter 100 prep to filter 103 prep



148247
SATA filter 100 prep double-stage sinter filter/fine filter with pressure regulator outlet (1 x 1/4" male thread)




Spare parts

SATA filter 103

prep

148189
Filter housing, drilled and coated
148197
Filter sleeve, processed and coated
148239
Pressure regulation valve
148270
Fine filter cartridge
15511
Automatic condensate drain valve
157362
Activated charcoal cartridge
19158
Pressure gauge 0 - 10 bar, 50 mm
22137
Cyclone separator
22160
Sintered filter
24521
Condensate retainer



Repair kit

148528
Sealing kit

SPRAY GUNS

CUP SYSTEMS

BREATHING PROTECTION

FILTER TECHNOLOGY

ADDITIONAL PRODUCTS

MERCHANDISING ITEMS

Accessories for SATA filter series

Filter cartridges

1098054

Service kit for SATA filter series 500: with fine filter and activated charcoal cartridge



214270

SATA six pack with #81810 (packing unit 2 pieces) and #85373 (packing unit 4 pieces) for SATA filter 484



138933

Service kit for filter series 400: with fine filter cartridge and activated charcoal cartridge



1098004

Activated charcoal cartridge for SATA filter series 500



85373

Activated charcoal cartridge for SATA filter series 200, 300 and 400



157362

Activated charcoal cartridge for SATA filter series 100 prep



1097999

Fine filter cartridge for SATA filter series 500



81810

Fine filter cartridge for SATA filter series 200, 300 and 400



148270

Fine filter cartridge for SATA filter series 100 prep



22160

Sintered filter for all SATA filter series



206151

SATA filter timer for sinter filter



Filter Accessories

1114305

Wall-mounted holder for SATA filter 584- special version for installation in existing compressed air line systems



Filter Accessories

1101146
Manifold SATA filter 500



1107269
SATA high-flow coupling, red, female, packaging unit 2 pcs. for SATA filter series 500



158824
Manifold for extension with 2 ball valves for SATA filter series 400



13599
SATA quick coupling G 1/4" (female thread)



10934
Ball tap (Teflon) 1/2" male thread for air inlet SATA filter series 100, 300, 400, 500 and cleaning devices



9878
SATA mini filter 1/4" (male thread)



1101500
SATA filter cover (packing unit 4 pieces) for SATA filter series 500



215053
SATA filter cover (packing unit 4 pieces) for all SATA filter series, except 500



Air quality control

7096
SATA air check set compressed air quality control device for optimum spray air



7666
Diaphragm (packing unit 10 pieces) for SATA air check set

156299
SATA air tester, atomisation air quick tester



1107350
Service chart for the spray booth, A3, German / English for SATA filter series 500




133587
SATA Service Tacho for the paint spray booth, German/English, DIN A3



Spare parts

SATA filter
484/474/444


15511
Automatic condensate drain valve
158808
Manifold 2x 1/4" (male thread)
22046
Pressure gauge 0 - 10 bar, 50 mm
22137
Cyclone separator
22160
Sintered filter
23804
Pressure valve
24471
Plastic nut with 2 O-rings for SATA filter series 300 and 400
24489
Threaded rod with pressure valve head
24521
Condensate retainer
24562
Filter sleeve with automatic discharge valve
24562
Adapter, cpl. with O-ring
2923
Pressure spring
2949
Diaphragm
73890
Threaded rod
78360
Gasket
80457
Spindle for SATA filter series 400
81810
Fine filter cartridge
83113
Fixing nut
84871
Filter sleeve
85373
Activated charcoal cartridge
95851
Countersunk screw M 5 x 16
96883
Pressure adjustment screw



Repair kit

94979
Service unit SATA Filter series 400
96750
Sealing kit

Spare parts
SATA filter
464/434/ 424/414
15511
Automatic condensate drain valve
158808
Manifold 2x 1/4" (male thread)
22046
Pressure gauge 0 - 10 bar, 50 mm
22137
Cyclone separator
22160
Sintered filter
23804
Pressure valve
24471
Plastic nut with 2 O-rings for SATA filter series 300 and 400
24489
Threaded rod with pressure valve head
24521
Condensate retainer
24554
Filter sleeve with automatic discharge valve
24562
Adapter, cpl. with O-ring
2923
Pressure spring
2949
Diaphragm
73890
Threaded rod
80457
Spindle for SATA filter series 400
83113
Fixing nut
85373
Activated charcoal cartridge
95851
Countersunk screw M 5 x 16
96883
Pressure adjustment screw



Repair kit

- 94979 Service unit SATA Filter series 400
- 96750 Sealing kit

SPRAY GUNS

CUP SYSTEMS

BREATHING PROTECTION

FILTER TECHNOLOGY

ADDITIONAL PRODUCTS

MERCHANDISING ITEMS



air star F 2.0
SATA
SATA GmbH & Co. KG
Dorrmannstr. 20
70808 Kornwestheim
Germany
Art. No. 1102778